

MASTER COPY



Plot no. 1116/P, Lamadapura Road,
Manjusar – 391 775,
Ta- Savli, Dist. Vadodara, Gujarat, India

Quality Control

Standard Test Specifications

Title: Calcium Carbonate BP

Page No.: 1 of 3

Specification No.:
ACPL/FP/SP/001

Revision No.:
00

Effective Date
26/06/2021

Review Date
25/06/2024


Change Control No.

NA

Prepared By: 


Date: 23/06/2021

Name : Pankaj Patel
(QC Officer / Designee)

Reviewed By: 

Date: 24/06/2021

Name : Nilesh Shah
(Unit Head / Designee)

Approved By: 

Date: 25/06/2021

Name : Naresh Solanki
(QA/QC In Charge / Designee)

UNCONTROLLED COPY

Format No. QC/017/F/01-00

Certified By (Sign/Date) :  26/06/2021

MASTER COPY

Plot no. 1116/P, Lamadapura Road,
Manjusar – 391 775,
Ta- Savli, Dist. Vadodara, Gujarat, India

Quality Control**Standard Test Specifications****Title: Calcium Carbonate BP****Page No.:** 2 of 3**Specification No.:**
ACPL/FP/SP/001**Revision No.:**
00**Effective Date**
26/06/2021**Review Date**
25/06/2024**Change Control No.**

NA

1.0 SAMPLING LEVEL :

As mentioned in the “Sampling procedure” SOP.

2.0 SAMPLING METHOD TO BE FOLLOWED:

100% sampling to be done from each container.

3.0 TOTAL COMPOSITE SAMPLE TO BE COLLECTED :

100 gm

4.0 EXPIRY :

Five years from the Date of Manufacturing.

5.0 CAS No: 471-34-1**6.0 MOLECULAR FORMULA:** CaCO₃**7.0 MOLECULAR WEIGHT:** 100.1 gm/mol.**8.0 CATEGORY:** Antacid.**9.0 STORAGE:** Preserve in well-closed containers.**10.0 SAFETY PRECAUTIONS TO BE TAKEN WHILE SAMPLING AND HANDLING :**

Use hand gloves, goggles and apron during Handling.

11.0 CONTROL SAMPLE: 3 X 100gm.**UNCONTROLLED COPY****Format No.** QC/017/F/01-00**Certified By (Sign/Date) :**  26/06/2021

MASTER COPY

Plot no. 1116/P, Lamadapura Road,
Manjusar – 391 775,
Ta- Savli, Dist. Vadodara, Gujarat, India

Quality Control**Standard Test Specifications****Title: Calcium Carbonate BP****Page No.:** 3 of 3**Specification No.:**
ACPL/FP/SP/001**Revision No.:**
00**Effective Date**
26/06/2021**Review Date**
25/06/2024**Change Control No.**

NA

TEST PARAMETERS AND SPECIFICATIONS**REF: BP**

Sr. No.	TEST PARAMETER	SPECIFICATION
1.	Appearance	White or almost white powder
2.	Solubility	Practically insoluble in water
3.	Identification A Give reaction of Carbonates	To pass test
	Identification B Give reaction of Calcium	To pass test
4.	Substances insoluble in acetic acid	Max. 0.2 %
5.	Chloride	Max. 330 ppm
6.	Sulfate (SO ₄)	Max. 0.25 %
7.	Arsenic (As)	Max 4 ppm
8.	Barium (Ba)	To pass test
9.	Iron (Fe)	Max. 200 ppm
10.	Magnesium and Alkali metals	Max. 1.5 %
11.	Loss on drying (200°C)	NMT2.0%
12.	Assay (Dried basis)	98.5 - 100.5%

REVISION HISTORY:

Revision No.	Effective Date	Revision Description	Change Control No.
00	26/06/2021	First Issuance	N A

UNCONTROLLED COPY**Format No.** QC/017/F/01-00**Certified By (Sign/Date) :**  26/06/2021