

MASTER COPY



Plot no. 1116/P, Lamadapura Road,
Manjusar – 391 775,
Ta- Savli, Dist. Vadodara, Gujarat, India

Quality Control

Standard Test Specifications

Title: Di Potassium Hydrogen Phosphate LR

Page No.: 1 of 3

Specification No.:
ACPL/FP/SP/004

Revision No.:
00

Effective Date
22/07/2021

Review Date
21/07/2024


Change Control No.

NA

Prepared By: 


Date: 19/07/2021

Name : Pankaj Patel
(QC Officer / Designee)

Reviewed By: 

Date: 20/07/2021

Name : Nilesh Shah
(Unit Head / Designee)

Approved By: 

Date: 21/07/2021

Name : Naresh Solanki
(QA/QC In Charge / Designee)

UNCONTROLLED COPY

Format No. QC/017/F/01-00

Certified By (Sign/Date) :  22/07/2021

MASTER COPY



Plot no. 1116/P, Lamadapura Road,
Manjusar – 391 775,
Ta- Savli, Dist. Vadodara, Gujarat, India

Quality Control

Standard Test Specifications

Title: Di Potassium Hydrogen Phosphate LR

Page No.: 2 of 3

Specification No.:
ACPL/FP/SP/004

Revision No.:
00

Effective Date
22/07/2021

Review Date
21/07/2024

Change Control No.

NA

1.0 SAMPLING LEVEL :

As mentioned in the “Sampling procedure” SOP.

2.0 SAMPLING METHOD TO BE FOLLOWED:

100% sampling to be done from each container.

3.0 TOTAL COMPOSITE SAMPLE TO BE COLLECTED :

100 gm

4.0 RETEST DATE :One year

5.0 CAS No: 7758-11-4

6.0 MOLECULAR FORMULA:K₂HP0₄

7.0 MOLECULAR WEIGHT: 174.18gm/mol.

8.0 CATEGORY: Excipients.

9.0 STORAGE: In an airtight container.

10.0 SAFETY PRECAUTIONS TO BE TAKEN WHILE SAMPLING AND HANDLING :

Use hand gloves, goggles and apron during Handling.

11.0 CONTROL SAMPLE: 3 X 100gm.

UNCONTROLLED COPY

Format No. QC/017/F/01-00

Certified By (Sign/Date) :  22/07/2021

MASTER COPY

Plot no. 1116/P, Lamadapura Road,
Manjusar – 391 775,
Ta- Savli, Dist. Vadodara, Gujarat, India

Quality Control**Standard Test Specifications****Title: Di Potassium Hydrogen Phosphate LR****Page No.:** 3 of 3**Specification No.:**
ACPL/FP/SP/004**Revision No.:**
00**Effective Date**
22/07/2021**Review Date**
21/07/2024**Change Control No.**

NA

TEST PARAMETERS AND SPECIFICATIONS**REF: LR**

Sr. No.	TEST PARAMETER	SPECIFICATION
1.	Description	A White Powder or colorless Crystals, Very Hygroscopic
2.	Solubility	Very Soluble in water
3.	pH (5% aqueous solution)	8.5 – 9.6
4.	Loss on Drying	Max. 1.0 %
5.	Chloride (Cl)	Max. 50 ppm
6.	Iron (Fe)	Max. 20 ppm
7.	Assay %	Min. 98.00%

REVISION HISTORY:

Revision No.	Effective Date	Revision Description	Change Control No.
00	22/07/2021	First Issuance	N A

UNCONTROLLED COPY**Format No.** QC/017/F/01-00**Certified By (Sign/Date) :**  22/07/2021