

MASTER COPY



Plot no. 1116/P, Lamadapura Road,
Manjusar – 391 775,
Ta- Savli, Dist. Vadodara, Gujarat, India

Quality Control

Standard Test Specifications

Title: Ferrous Gluconate BP

Page No.: 1 of 3

Specification No.:
ACPL/FP/SP/056


Revision No.:
00

Effective Date
31/07/2021

Review Date
30/07/2024


Change Control No.

NA

Prepared By: 


Date: 28/07/2021

Name : Pankaj Patel
(QC Officer / Designee)

Reviewed By: 

Date: 29/07/2021

Name : Nilesh Shah
(Unit Head / Designee)

Approved By: 

Date: 30/07/2021

Name : Naresh Solanki
(QA/QC In Charge / Designee)

UNCONTROLLED COPY

Format No. QC/017/F/01-00

Certified By (Sign/Date) :  31/07/2021

MASTER COPY

Plot no. 1116/P, Lamadapura Road,
Manjusar – 391 775,
Ta- Savli, Dist. Vadodara, Gujarat, India

Quality Control**Standard Test Specifications****Title: Ferrous Gluconate BP****Page No.: 2 of 3****Specification No.:**
ACPL/FP/SP/056**Revision No.:**
00**Effective Date**
31/07/2021**Review Date**
30/07/2024**Change Control No.**

NA

1.0 SAMPLING LEVEL :

As mentioned in the “Sampling procedure” SOP.

2.0 SAMPLING METHOD TO BE FOLLOWED:

100% sampling to be done from each container.

3.0 TOTAL COMPOSITE SAMPLE TO BE COLLECTED :

100 gm

4.0 EXPIRY :

Five years from the Date of Manufacturing.

5.0 CAS No: 299-29-6**6.0 MOLECULAR FORMULA:** $C_{12}H_{22}FeO_{14}.2H_2O$.**7.0 MOLECULAR WEIGHT:** 482.17 gm/mol.**8.0 CATEGORY:** Excipient.**9.0 STORAGE:** Protected from light.**10.0 SAFETY PRECAUTIONS TO BE TAKEN WHILE SAMPLING AND HANDLING :**

Use hand gloves, goggles and apron during Handling.

11.0 CONTROL SAMPLE: 3 X 100 gm.**UNCONTROLLED COPY****Format No.** QC/017/F/01-00**Certified By (Sign/Date) :**

31/07/2021

MASTER COPY

Plot no. 1116/P, Lamadapura Road,
Manjusar – 391 775,
Ta- Savli, Dist. Vadodara, Gujarat, India

Quality Control**Standard Test Specifications****Title: Ferrous Gluconate BP****Page No.:** 3 of 3**Specification No.:**
ACPL/FP/SP/056**Revision No.:**
00**Effective Date**
31/07/2021**Review Date**
30/07/2024**Change Control No.**

NA

TEST PARAMETERS AND SPECIFICATIONS

REF: BP

Sr. No.	TEST PARAMETER	SPECIFICATION
1.	Appearance	Greenish-yellow or grey powder or granules.
2.	Solubility	Freely but slowly soluble in water giving a greenish-brown solution, more readily soluble in hot water, practically insoluble in ethanol (96 %)
3.	Identification A Thin-layer chromatography Identification B 1 mL of solution S gives reaction (a) of iron	To pass test To pass test
4.	Appearance of Solution (20 % Soln.)	Solution is clear & colorless
5.	pH	4.0 to 5.5
6.	Sucrose and reducing sugars	No red precipitate is formed
7.	Chlorides (Cl)	Max. 600 ppm
8.	Oxalates	No precipitate is formed.
9.	Sulfates (SO ₄)	Max. 500 ppm
10.	Arsenic (AS)	Max. 2 ppm
11.	Barium	To Pass test
12.	Ferric ions	Not more than 9.0 mL of 0.1 M sodium thiosulfate is used
13.	Loss on drying (at 105 °C)	5.0 % to 10.5 %
14.	Microbial contamination	TAMC: acceptance criterion 10 ³ CFU/g TYMC: acceptance criterion 10 ² CFU/g
15.	Assay % (Dried Basis)	99.0 % to 101.0 %

REVISION HISTORY:

Revision No.	Effective Date	Revision Description	Change Control No.
00	31/07/2021	First Issuance	N A

UNCONTROLLED COPY

Format No. QC/017/F/01-00

Certified By (Sign/Date) :  31/07/2021