MASTER COPY



Plot no. 1116/P, Lamadapura Road, Manjusar – 391 775,

Ta- Savli, Dist. Vadodara, Gujarat, India

Quality Control

Title: Sodium Carbonate Anhydrous LR Page No.: 1 of 3

 Specification No.:
 Revision No.:
 Effective Date
 Review Date

 ACPL/FP/SP/009
 00
 26/08/2021
 25/08/2024

Change Control No. NA

Prepared By : _____ Date: <u>23/08/2021</u>

Name : <u>Pankaj Patel</u>

 $(QC\ Officer\ /\ Designee)$

Reviewed By : _____ Date: <u>24/08/2021</u>

(Unit Head / Designee)

: Nilesh Shah_

Approved By : _____ Date: 25/08/2021

Name : Naresh Solanki_____

(QA/QC In Charge / Designee)

UNCONTROLLED COPY

Format No. QC/017/F/01-00

Name

Certified By (Sign/Date):

Ri

26/08/2021

MASTER COPY



Plot no. 1116/P, Lamadapura Road, Manjusar – 391 775,

Ta- Savli, Dist. Vadodara, Gujarat, India

Quality Control

Standard Test Specifications

Title: Sodium Carbonate Anhydrous LR Page No.: 2 of 3

 Specification No.:
 Revision No.:
 Effective Date
 Review Date

 ACPL/FP/SP/009
 00
 26/08/2021
 25/08/2024

Change Control No. NA

1.0 SAMPLING LEVEL:

As mentioned in the "Sampling procedure" SOP.

2.0 SAMPLING METHOD TO BE FOLLOWED:

100% sampling to be done from each container.

3.0 TOTAL COMPOSITE SAMPLE TO BE COLLECTED:

100 gm

4.0 RETEST DATE: One years

5.0 CAS No: 497-19-8

6.0 MOLECULAR FORMULA: Na₂CO₃.

7.0 MOLECULAR WEIGHT: 106.0 gm/mol.

8.0 CATEGORY: Excipients.

9.0 STORAGE: In an airtight container.

10.0 SAFETY PRECAUTIONS TO BE TAKENWHILE SAMPLING AND HANDLING:

Use hand gloves, goggles and apron during Handling.

11.0 CONTROL SAMPLE: 3 X 100gm.

UNCONTROLLED COPY

Format No. QC/017/F/01-00

Certified By (Sign/Date):

Ri

26/08/2021

MASTER COPY



Plot no. 1116/P, Lamadapura Road, Manjusar – 391 775,

Ta- Savli, Dist. Vadodara, Gujarat, India

Quality Control

Standard Test Specifications

Title: Sodium Carbonate Anhydrous LR Page No.: 3 of 3

 Specification No.:
 Revision No.:
 Effective Date
 Review Date

 ACPL/FP/SP/009
 00
 26/08/2021
 25/08/2024

Change Control No. NA

TEST PARAMETERS AND SPECIFICATIONS REF: LR

Sr. No.	TEST PARAMETER	SPECIFICATION
1.	Description	White Crystalline Powder or Granular Powder, Hygroscopic
2.	Solubility	Soluble in water
3.	Loss On Drying (At 130°C)	Max. 1.0%
4.	Chloride as Cl	Max. 100 ppm
5.	Sulphate as SO ₄	Max. 200 ppm
6.	Iron as Fe	Max. 10 ppm
7.	Heavy Metal	Max. 30 ppm
8.	Silicate	Max. 200 ppm
9.	Assay (On dry basis)	Min. 99.5%

REVISION HISTORY:

Revision No.	Effective Date	Revision Description	Change Control No.
00	26/08/2021	First Issuance	N A

UNCONTROLLED COPY

Format No. QC/017/F/01-00

Certified By (Sign/Date):



26/08/2021