

MASTER COPY



Plot no. 1116/P, Lamadapura Road,
Manjusar – 391 775,
Ta- Savli, Dist. Vadodara, Gujarat, India

Quality Control

Standard Test Specifications

Title: Sodium Citrate Anhydrous USP

Page No.: 1 of 3

Specification No.:
ACPL/FP/SP/067


Revision No.:
00

Effective Date
28/08/2021

Review Date
27/08/2024


Change Control No.

NA

Prepared By: 


Date: 25/08/2021

Name : Pankaj Patel
(QC Officer / Designee)

Reviewed By: 

Date: 26/08/2021

Name : Nilesh Shah
(Unit Head / Designee)

Approved By: 

Date: 27/08/2021

Name : Naresh Solanki
(QA/QC In Charge / Designee)

UNCONTROLLED COPY

Format No. QC/017/F/01-00

Certified By (Sign/Date) :  28/08/2021

MASTER COPY

Plot no. 1116/P, Lamadapura Road,
Manjusar – 391 775,
Ta- Savli, Dist. Vadodara, Gujarat, India

Quality Control**Standard Test Specifications****Title: Sodium Citrate Anhydrous USP****Page No.: 2 of 3****Specification No.:**
ACPL/FP/SP/067**Revision No.:**
00**Effective Date**
28/08/2021**Review Date**
27/08/2024**Change Control No.**

NA

1.0 SAMPLING LEVEL :

As mentioned in the “Sampling procedure” SOP.

2.0 SAMPLING METHOD TO BE FOLLOWED:

100% sampling to be done from each container.

3.0 TOTAL COMPOSITE SAMPLE TO BE COLLECTED :

100 gm

4.0 EXPIRY :

Five years from the Date of Manufacturing.

5.0 CAS No: 68-04-2**6.0 MOLECULAR FORMULA:** C₆H₅Na₃O₇.**7.0 MOLECULAR WEIGHT:** 258.07 gm/mol.**8.0 CATEGORY:** Excipient.**9.0 STORAGE:** Preserve in tight containers.**10.0 SAFETY PRECAUTIONS TO BE TAKEN WHILE SAMPLING AND HANDLING :**

Use hand gloves, goggles and apron during Handling.

11.0 CONTROL SAMPLE: 3 X 100 gm.**UNCONTROLLED COPY****Format No.** QC/017/F/01-00**Certified By (Sign/Date) :**

28/08/2021

MASTER COPY

Plot no. 1116/P, Lamadapura Road,
Manjusar – 391 775,
Ta- Savli, Dist. Vadodara, Gujarat, India

Quality Control**Standard Test Specifications****Title: Sodium Citrate Anhydrous USP****Page No.:** 3 of 3**Specification No.:**
ACPL/FP/SP/067**Revision No.:**
00**Effective Date**
28/08/2021**Review Date**
27/08/2024**Change Control No.**

NA

TEST PARAMETERS AND SPECIFICATIONS**REF: USP**

Sr. No.	TEST PARAMETER	SPECIFICATION
1.	Description	White To Extra White Crystalline Powder
2.	Solubility	Soluble In Water And Very Soluble In Boiling Water
3.	Assay % (Dried Basis)	99.0 % to 100.5 %
4.	Tartrate	To Pass Test
5.	Alkalinity	To Pass Test
6.	Water determination	Max. 1.0 %

REVISION HISTORY:

Revision No.	Effective Date	Revision Description	Change Control No.
00	28/08/2021	First Issuance	N A

UNCONTROLLED COPY**Format No.** QC/017/F/01-00**Certified By (Sign/Date) :**  28/08/2021