

MASTER COPY



Plot no. 1116/P, Lamadapura Road,
Manjusar – 391 775,
Ta- Savli, Dist. Vadodara, Gujarat, India


Quality Control

Standard Test Specifications

Title: Sodium Metabisulphite ACS


Page No.: 1 of 3

Specification No.:	Revision No.:	Effective Date	Review Date
ACPL/FP/SP/014	00	08/09/2021	07/09/2024
Change Control No.	NA		

Prepared By: 


Date: 04/09/2021

Name : Pankaj Patel
(QC Officer / Designee)

Reviewed By: 

Date: 06/09/2021

Name : Niles Shah
(Unit Head / Designee)

Approved By: 

Date: 07/09/2021

Name : Naresh Solanki
(QA/QC In Charge / Designee)

UNCONTROLLED COPY

Format No. QC/017/F/01-00

Certified By (Sign/Date) :  08/09/2021

MASTER COPY

Plot no. 1116/P, Lamadapura Road,
Manjusar – 391 775,
Ta- Savli, Dist. Vadodara, Gujarat, India

Quality Control**Standard Test Specifications****Title: Sodium Metabisulphite ACS****Page No.: 2 of 3**

Specification No.:	Revision No.:	Effective Date	Review Date
ACPL/FP/SP/014	00	08/09/2021	07/09/2024
Change Control No.	NA		

1.0 SAMPLING LEVEL :

As mentioned in the "Sampling procedure" SOP.

2.0 SAMPLING METHOD TO BE FOLLOWED:

100% sampling to be done from each container.

3.0 TOTAL COMPOSITE SAMPLE TO BE COLLECTED :

100 gm

4.0 RETEST DATE: Three year.**5.0 CAS No:** 7681-57-4**6.0 MOLECULAR FORMULA:** Na₂S₂O₅.**7.0 MOLECULAR WEIGHT:** 190.1gm/mol.**8.0 CATEGORY:** Pharmaceutical aid (antioxidant).**9.0 STORAGE:** Protected from light.**10.0 SAFETY PRECAUTIONS TO BE TAKEN WHILE SAMPLING AND HANDLING :**

Use hand gloves, goggles and apron during Handling.

11.0 CONTROL SAMPLE: 3 X 100gm.**UNCONTROLLED COPY**

Format No. QC/017/F/01-00

Certified By (Sign/Date) :  08/09/2021

MASTER COPY

Plot no. 1116/P, Lamadapura Road,
Manjusar – 391 775,
Ta- Savli, Dist. Vadodara, Gujarat, India

Quality Control**Standard Test Specifications****Title: Sodium Metabisulphite ACS****Page No.:** 3 of 3**Specification No.:**
ACPL/FP/SP/014**Revision No.:**
00**Effective Date**
08/09/2021**Review Date**
07/09/2024**Change Control No.**

NA

TEST PARAMETERS AND SPECIFICATIONS**REF: ACS**

Sr. No.	TEST PARAMETER	SPECIFICATION
1.	Description	White or almost white, crystalline powder or colorless crystals.
2.	Solubility	Soluble in water
3.	Insoluble Matter	Max 50 ppm
4.	Chloride as Cl	Max 500 ppm
5.	Thiosulfate as S ₂ O ₃	Max 500 ppm
6.	Heavy Metals as Pb	Max 10 ppm
7.	Iron as Fe	Max 20 ppm
8.	Assay (Na ₂ S ₂ O ₅)	Min. 97.0 %

REVISION HISTORY:

Revision No.	Effective Date	Revision Description	Change Control No.
00	08/09/2021	First Issuance	N A

UNCONTROLLED COPY**Format No.** QC/017/F/01-00**Certified By (Sign/Date) :**  08/09/2021