

MASTER COPY



Plot no. 1116/P, Lamadapura Road,
Manjusar – 391 775,
Ta- Savli, Dist. Vadodara, Gujarat, India


Quality Control

Standard Test Specifications

Title: Sodium Metabisulphite USP

Page No.: 1 of 3


Specification No.:	Revision No.:	Effective Date	Review Date
ACPL/FP/SP/014	00	09/09/2021	08/09/2024
Change Control No.	NA		

Prepared By: 

Date: 06/09/2021

Name : Pankaj Patel


(QC Officer / Designee)

Reviewed By: 

Date: 07/09/2021

Name : Nilesh Shah

(Unit Head / Designee)

Approved By: 

Date: 08/09/2021

Name : Naresh Solanki

(QA/QC In Charge / Designee)

UNCONTROLLED COPY

Format No. QC/017/F/01-00

Certified By (Sign/Date) :  09/09/2021

MASTER COPY

Plot no. 1116/P, Lamadapura Road,
Manjusar – 391 775,
Ta- Savli, Dist. Vadodara, Gujarat, India

Quality Control**Standard Test Specifications****Title: Sodium Metabisulphite USP****Page No.:** 2 of 3

Specification No.:	Revision No.:	Effective Date	Review Date
ACPL/FP/SP/014	00	09/09/2021	08/09/2024
Change Control No.	NA		

1.0 SAMPLING LEVEL :

As mentioned in the “Sampling procedure” SOP.

2.0 SAMPLING METHOD TO BE FOLLOWED:

100% sampling to be done from each container.

3.0 TOTAL COMPOSITE SAMPLE TO BE COLLECTED :

100 gm

4.0 EXPIRY :

Five years from the Date of Manufacturing.

5.0 CAS No: 7681-57-4**6.0 MOLECULAR FORMULA:** Na₂S₂O₅.**7.0 MOLECULAR WEIGHT:** 190.11 gm/mol.**8.0 CATEGORY:** Pharmaceutical aid (antioxidant)**9.0 STORAGE:** Preserve in well-filled, tight containers, and avoid exposure to excessive heat.**10.0 SAFETY PRECAUTIONS TO BE TAKEN WHILE SAMPLING AND HANDLING :**

Use hand gloves, goggles and apron during Handling.

11.0 CONTROL SAMPLE: 3 X 100gm.**UNCONTROLLED COPY****Format No.** QC/017/F/01-00**Certified By (Sign/Date) :**  09/09/2021

MASTER COPY

Plot no. 1116/P, Lamadapura Road,
Manjusar – 391 775,
Ta- Savli, Dist. Vadodara, Gujarat, India

Quality Control**Standard Test Specifications****Title: Sodium Metabisulphite USP****Page No.:** 3 of 3**Specification No.:**
ACPL/FP/SP/014**Revision No.:**
00**Effective Date**
09/09/2021**Review Date**
08/09/2024**Change Control No.**

NA

TEST PARAMETERS AND SPECIFICATIONS
REF: USP

Sr. No.	TEST PARAMETER	SPECIFICATION
1.	Description	White or pale yellow, powder or crystals
2.	Identification A Test for Sodium and Sulphite	To pass test
3.	Assay	65.0%–67.4% of SO ₂ .
4.	Chloride	Max. 500 ppm
5.	Thiosulfate	Max. 500 ppm
6.	Iron (Fe)	Max. 20 ppm

REVISION HISTORY:

Revision No.	Effective Date	Revision Description	Change Control No.
00	09/09/2021	First Issuance	N A

UNCONTROLLED COPY

Format No. QC/017/F/01-00

Certified By (Sign/Date) :  09/09/2021